

# Mobile Device Management

## Features and Functionality



With our Mobile Device Management (MDM) solution, we can manage and secure your mobile devices remotely, safely and efficiently throughout their entire lifecycle. The following is a description of the features and services provided.

|   |   |   | Apple* | Android** |
|---|---|---|--------|-----------|
| <b>Enrollment</b>   |   |   |        |           |
| <b>Over-the-Air-Enrollment</b>  |   |   |        |           |
| <b>Enroll via SMS message</b><br>As part of the enrollment process, an SMS text message with a URL pointing to the MDM server can be sent, enabling a new mobile device to be configured for managed services | ✓ | ✓ |        |           |
| <b>Enroll via email</b><br>As part of the enrollment process, an email with a URL pointing to the MDM server can be sent, enabling a new mobile device to be configured for managed services                  | ✓ | ✓ |        |           |

|   |   | Apple* | Android** |
|---|---|--------|-----------|
| <b>Enroll via quick reference (QR) code</b><br>As part of the enrollment process, a QR code with a URL pointing to the MDM server can be scanned by a device's camera, enabling a new mobile device to be configured for managed services   | ✓ | ✓      |           |
| <b>Enroll via uniform resource locator (URL)</b><br>As part of the enrollment process, a URL can be published on a webpage or company portal pointing to the MDM server, enabling a new mobile device to be configured for managed services | ✓ | ✓      |           |

Apple\*  
Android\*\*

| Configuration   |   |   |
|---|---|---|
| <b>Common Connection Settings</b>   |   |   |
| <b>Exchange ActiveSync email</b><br>Instantly configures access to a corporate Exchange email account on a mobile device  | ✓ | ✗ |
| <b>IMAP/POP email</b><br>Instantly configures access to a personal email account on a mobile device   | ✓ | ✗ |
| <b>Virtual private network (VPN)</b><br>Simplifies mobile VPN setup by configuring VPN network settings   | ✓ | ✗ |
| <b>Wi-Fi</b><br>Simplifies Wi-Fi setup by configuring Wi-Fi network settings  | ✓ | ✓ |
| <b>Lightweight directory access protocol (LDAP)</b><br>Enables corporate directory search for a contact name or email address in the To/CC/BCC fields when composing emails | ✓ | ✗ |
| <b>Inventory Management</b>   |   |   |
| <b>Device Inventory</b>   |   |   |
| <b>Unique device identifier (UDID)</b><br>Collects and displays the UDID of a mobile device   | ✓ | ✓ |
| <b>Device name</b><br>Collects and displays the device name used to connect to iTunes or Google Play  | ✓ | ✓ |
| <b>Build and version</b><br>Collects and displays the OS version running on a mobile device   | ✓ | ✓ |
| <b>Model name and number</b><br>Collects and displays the model details of a mobile device  | ✓ | ✓ |
| <b>Serial number</b><br>Collects and displays the mobile device serial number   | ✓ | ✓ |
| <b>Capacity and space available</b><br>Collects and displays the total drive space and free space remaining on the mobile device  | ✓ | ✓ |
| <b>International mobile equipment identity (IMEI)</b><br>Collects and displays the IMEI used to identify devices on cellular networks                                       | ✓ | ✓ |

Apple\*  
Android\*\*

|   |   |   |
|---|---|---|
| <b>Modem firmware</b><br>Collects and displays information related to the mobile device firmware version  | ✓ | ✓ |
| <b>Hardware inventory</b><br>Collects and displays information related to common hardware components, including memory, drive space, CPU and battery life | ✓ | ✓ |
| <b>Application inventory</b><br>Collects and displays the name and version of all installed applications  | ✓ | ✓ |
| <b>Mobile device type</b><br>Collects and displays information that identifies the device as either a smartphone or a tablet                              | ✓ | ✓ |
| <b>Network Inventory</b>  |   |   |
| <b>Integrated circuit card identifier</b><br>Collects and displays information related to a mobile device's ICCID number for SIM cards                    | ✓ | ✓ |
| <b>Bluetooth and Wi-Fi media access control (MAC) addresses</b><br>Collects and displays Bluetooth and Wi-Fi MAC addresses                                | ✓ | ✓ |
| <b>Current carrier network</b><br>Collects and displays the device's current network carrier, such as AT&T, Verizon, etc.                                 | ✓ | ✓ |
| <b>SIM carrier network</b><br>Collects and displays the device's SIM card carrier settings  | ✓ | ✓ |
| <b>Phone number</b><br>Collects and displays the device's phone number  | ✓ | ✓ |
| <b>Data roaming settings</b><br>Collects and displays the configured data roaming settings of the device  | ✓ | ✓ |
| <b>Security/Risk Management</b>   |   |   |
| <b>Policy Profiles</b>  |   |   |
| <b>Require passcode</b><br>Requires device users to setup a passcode to access the mobile device  | ✓ | ✓ |
| <b>Allow simple value</b><br>Permits the use of repeating, ascending and descending character sequences in a user's passcode                              | ✓ | ✓ |

|  | Apple* | Android** |
|--|--------|-----------|
| <b>Require alphanumeric passcode</b><br>Requires the passcode set by the user to contain at least one letter   | ✓      | ✓         |
| <b>Set passcode length</b><br>Requires a minimum number of characters for passcodes  | ✓      | ✓         |
| <b>Require number of complex characters</b><br>Requires users to configure a minimum number of non-alphanumeric characters when setting up a passcode                  | ✓      | ✓         |
| <b>Set maximum passcode age</b><br>Specifies the number of days after which a passcode must be changed (i.e. passcode must be changed every 90 days)                   | ✓      | ✓         |
| <b>Set time before auto-lock</b><br>Specifies the number of minutes that elapse before a device automatically locks  | ✓      | ✓         |
| <b>Set passcode reuse requirement</b><br>Specifies the number of times that a passcode can be reused   | ✓      | ✓         |
| <b>Set grace period before device lock</b><br>Specifies how soon a device can be unlocked again after use, without re-entering the passcode                            | ✓      | ✗         |
| <b>Set number of failed attempts before device wipe</b><br>Specifies the number of times a passcode can be entered incorrectly before all data on the device is erased | ✓      | ✓         |
| <b>Available Restrictions</b>  |        |           |
| <b>Access to app stores</b><br>Restricts access to app stores  | ✓      | ✗         |
| <b>Access to explicit media and content ratings</b><br>Restricts access to apps and media with an explicit content rating  | ✓      | ✗         |
| <b>Use of web browser</b><br>Disables the device's web browser application and removes the icon from the home screen, as well as prevents users from opening web clips | ✓      | ✗         |
| <b>Web browser security preferences</b><br>Controls the device's browser security preferences, such as pop-ups, JavaScript, etc.                                       | ✓      | ✗         |

|  | Apple* | Android** |
|--|--------|-----------|
| <b>Use of YouTube</b><br>Disables the device's YouTube application and removes the icon from the home screen   | ✓      | ✗         |
| <b>Use of app store and in-app purchase</b><br>Restricts the ability for users to make purchases through an application running on the device  | ✓      | ✗         |
| <b>Ability to screen capture</b><br>Prevents users from saving a screenshot of the device display  | ✓      | ✗         |
| <b>Automatic sync while roaming</b><br>Disables automatic syncing when a user is roaming so the device only syncs when an account is accessed by the user                              | ✓      | ✗         |
| <b>Use of voice dialing or voice assistant</b><br>Prevents the user from dialing the phone using voice commands or using voice command assistants such as Siri                         | ✓      | ✗         |
| <b>Enforce encrypted iTunes backups</b><br>Requires device backups performed in iTunes to be stored in encrypted format on the user's computer   | ✓      | ✗         |
| <b>Use of the camera</b><br>Disables the use of the device camera and removes the icon from the home screen so that users cannot take photographs or videos, nor can they use FaceTime | ✓      | ✗         |
| <b>Service</b>   |        |           |
| <b>On Demand Support Functions</b>   |        |           |
| <b>Instant device lock</b><br>Allows a technician to instantly lock the device in the event a device is lost or stolen   | ✓      | ✓         |
| <b>Full device wipe</b><br>Allows a technician to instantly erase all data on a device and reset it to factory settings  | ✓      | ✓         |
| <b>Selective device wipe</b><br>Allows a technician to erase only those policies that were deployed to the device when it was under management   | ✓      | ✗         |
| <b>Passcode reset</b><br>Allows a technician to reset the device passcode to a default passcode  | ✓      | ✓         |

|   | Apple* | Android** |
|---|--------|-----------|
| <b>Geographical location lookup</b><br>Allows a technician to pinpoint the physical location of a mobile device on a geographical map   | ✓      | ✓         |
| <b>End-User Self Service Functions</b>  |        |           |
| <b>Send screenshot</b><br>Enables the device user to take a screenshot of a problem area when in the mobile device and attach it to a ticket, which is sent directly to the helpdesk to aid in a faster troubleshooting and support process | ✓      | ✓         |
| <b>Log ticket</b><br>Enables the device user to easily log a support ticket with the helpdesk directly from the mobile device   | ✓      | ✓         |
| <b>Centralized Control Center Integration</b>   |        |           |
| <b>Technician access control</b><br>Sets a service technician's access permissions to different mobile device groups  | ✓      | ✓         |
| <b>Auto wipe through intelligent groups</b><br>Enables automatic device wipe in the event a device is added to a configured group, whether manually added or added through dynamic search criteria  | ✓      | ✓         |
| <b>Auto-lock through intelligent groups</b><br>Enables automatic device lock in the event a device is added to a configured group, whether manually added or added through dynamic search criteria  | ✓      | ✓         |
| <b>Under contract vs. not under contract</b><br>Enables clear distinction of devices under contract and those not under contract  | ✓      | ✓         |
| <b>Lost or retired device groups</b><br>Enables clear distinction of devices lost or retired  | ✓      | ✓         |

|  | Apple* | Android** |
|--|--------|-----------|
| <b>Data Plan Management</b>  |        |           |
| <b>Detailed data usage tracking</b><br>Enables quick access and viewing of data plan usage across all managed mobile devices to proactively assist in avoiding data plan overages            | ✓      | ✓         |
| <b>Data usage threshold alerting</b><br>Creates an alert when activity spikes occur based on pre-configured thresholds to avoid costly overage charges                                       | ✓      | ✓         |
| <b>Geo Management and Tracking</b>   |        |           |
| <b>Historical device location</b><br>Identifies the physical locations a device has been in a given period of time   | ✓      | ✓         |
| <b>Visual global map interface</b><br>Enables a technician to view all geo-location tracking information on an interactive onscreen geographical map   | ✓      | ✓         |
| <b>Reporting</b>   |        |           |
| <b>Mobile device asset summary report</b><br>Provides a variety of summary information, such as data plan summary, devices by operating system/type and a list of mobile devices by location | ✓      | ✓         |
| <b>Mobile device detailed inventory report</b><br>Provides a detailed list of devices and device attributes  | ✓      | ✓         |
| <b>Mobile device software inventory report</b><br>Provides a detailed list of applications running on the mobile device  | ✓      | ✓         |
| <b>Mobile device data usage report</b><br>Provides detailed statistics on data plan usage  | ✓      | ✓         |

\* Requires iPhone or iPad iOS 3.1 or greater. \*\* Requires Android OS 2.0 or greater. iPhone® and iPad® are registered trademarks of Apple, Inc., registered in the U.S. and other countries. Android is a trademark of Google, Inc.



## Bardissi Enterprises, LLC

1250 Bethlehem Pike, S247  
 Hatfield, PA 19440  
 2158532266  
[www.bardissi.net](http://www.bardissi.net)